



Laminate Wood Floor

Classica

Technical Data Sheet




Technical Data

Classica


Product description
P G60
Stand: 12.17

System



- 1 high-grade durable overlay
- 2 impregnated decorative paper
- 3 HDF Optima **ARV/ARS**
- 4 balancer

Profile










Kaindl Loc
profile longitudinal

Fold Down
profile transversal

| Tests | | Flooring ¹ Symbols | Results |
|--|------------------------------------|----------------------------------|--|
| Panel dimension | | | 1383x193x8mm |
| Service category per Standard per | EN 685 EN 13329 | | 32 |
| Abrasion resistance | EN 13329 | | AC4 |
| Impact resistance | small ball big ball EN 13329 | | ≥12N ≥750mm |
| Formaldehyde emission of the substrate before coating | EN 120 DIBT- Richtlinie 100 | | E1 [Europe] |
| Formaldehyde emission | EN 717-1 EN 717-2 | | < 0,1 ppm < 3,5 mg/h m ² |

All values are approximate values - fluctuations cannot be absolutely ruled out.



| | | | |
|---|----------------|---|----------------------------------|
| Floorconstruction | | | GREENGUARD GOLD |
| Formaldehyde emission | CARB | | CARB Phase 2 |
| Thickness swelling / edge swelling | EN 13329 |  | < 18 % |
| Thermal conductivity | ISO 8302 |  | 0,0780 m ² .K/W |
| Moisture residue HDF | EN 322 | | 4 - 7 % |
| Resistance to cigarette burns | EN 438-2.18 |  | grade 4 |
| Light fastness | EN ISO 105-B02 |  | not worse than 6 Blue wool scale |
| | EN 20105-A02 | | not worse than 4 Grey scale |
| Lifitng resistance | EN 13329 | | ≥ 1 N/mm ² |
| Cross tensile strength | EN 319 | | > 1 N/mm ² |
| Resistance to stains | EN 438-2.15 |  | groups 1-2 grade 5 |
| | | | group 3 grade 4 |
| Combustibility | EN13501-1 |  | Cfl , s1 |
| | | | |
| Sliding friction μ | EN 13893 |  | ≥ 0,3 |
| Dimensional variants after changes in relative humidity | EN 13329 | | length and width ≤ 0,9 mm |
| Straightness of the panels | EN 13329 | | ≤ 0,30 mm /m |
| Hight difference between elements | EN 13329 | | maximum ≤ 0,15 mm |
| | | | average ≤ 0,10 mm |
| Squared elements | EN 13329 | | ≤ 0,2 mm / panel width |
| Flatness of the element width | EN 13329 | | concave ≤ 0,2 mm |
| | | | convex ≤ 0,3 mm |
| Flatness of the element length | EN 13329 | | concave ≤ 7 mm |
| | | | convex ≤ 14 mm |
| System pattern matching widthwise | | | +/- 2mm |
| Ship's planking matching widthwise | | | +/- 4mm |

1)Information under www.floorsymbols.com

Ahmadabad:

Surface Plus, GF, 4th Floor
Premier House, Opp. Gurudwara
Thaltej Crossing, Ahmadabad – 382 454
Tel: +91 79 4006 0521 / 79 2685 3312
Email: ahmadabad@squarefoot.co.in

Bengaluru:

#51, 1st Floor, 100 Feet Road
4th Block, Koramangala
Bengaluru – 560 034
Tel: +91 80 4110 1012 / 13
Fax: +91 80 2563 3145
Email: bangalore@squarefoot.co.in

Chennai:

#96, 3rd Floor, Opp. Vani Mahal
G. N. Chetty Road, T. Nagar
Chennai – 600 017
Tel: +91 44 4550 8411 / 12
Email: chennai@squarefoot.co.in

Goa:

403, 4th Floor, Gera Imperium
1st Building, Behind KTC Bus Stand
Patto Plaza, Panjim, Goa – 403 001
Tel: +91 832 243 7663
Email: goa@squarefoot.co.in

Hyderabad:

6 – 3 – 354/1, 2nd Floor, Stellar Sphinx
Panjagutta Main Road, Road No. 1
Banjara Hills, Hyderabad – 500 034
Tel: +91 40 4003 7212 / 13
Fax: +91 40 4003 7214
Email: hyderabad@squarefoot.co.in

Indore:

154, 1st Floor Orbit Mall, A.B. Road
Indore – 452 001
Tel: +91 731 498 1983
Email: indore@squarefoot.co.in

Jaipur:

2nd Floor, Plot No. 287, Vaishali Marg
Gomes Defence Colony, Opp. Ktl Maruti Showroom
Near Big Bazaar, Jaipur, Rajasthan – 302 021
Tel: +91 141 492 2396
Email: jaipur@squarefoot.co.in

Kochi:

2nd Floor Chakrampilly Estate
NH Bypass, Palarivattom
Thammanam PO, Cochin
Kerala – 682 032. (Opp: Holiday Inn)
Tel: +91 484 485 6173
Email: kochi@squarefoot.co.in

Kolkata:

#332, Homeland Mall
18B, Ashuthosh Mukherjee Road
Kolkata – 700 020
Tel: +91 33 2455 4344
Email: kolkata@squarefoot.co.in

Mumbai:

9–11 Senapati Bapat Marg
Lower Parel, Mumbai – 400 013
Tel: +91 22 4047 6211
Fax: +91 22 2497 6216

New Delhi:

M – 56, 2nd Floor, M–Block Market
Greater Kailash Part II
New Delhi – 110 048
Tel: +91 11 4052 5767 / 11 4050 4785
Email: delhi@squarefoot.co.in

Pune:

Classic Floorings & Interiors Pvt Ltd,
Office No. 201, 2nd Floor, Gagan Capital
Dhole Patil Road, Beside Ruby hall Clinic Exit Gate,
Landmark – Above Anna Idly & CCD
Pune – 411 001
Tel: +91 20 4000 1630
Email: pune@squarefoot.co.in

Area Representatives

| | |
|--------------|-----------------|
| Bhopal | +91 82913 17558 |
| Bhubaneshwar | +91 96742 23380 |
| Coimbatore | +91 90032 56718 |
| Guwahati | +91 96749 93005 |
| Nasik | +91 86575 03355 |
| Patna | +91 98363 11556 |
| Surat | +91 97237 77887 |

**Head Office:**

Classic Floorings & Interiors (P) Ltd., Ground Floor, Raghuvanshi Mansion
Raghuvanshi Mills Compound, 9–11 Senapati Bapat Marg, Lower Parel, Mumbai – 400 013. Tel: +91 22 4047 6211 | Fax: +91 22 2497 6216

Toll Free: 1800 226 211 ■ sales@squarefoot.co.in ■ www.squarefoot.co.in