





Maintenance Manual

iD Essential 30

Luxury Vinyl Tiles With Topclean Xp

Modern day—room cleaning aims to reduce wet cleaning procedures and replace them with drier cleaning techniques. For example, the use of centrally laundered pre—impregnated mops and the wide application of appropriate machines. This makes work more effective and easier for the cleaning staff, and minimizes environmental impact. Less cleaning chemicals and less fresh water are used.

General Advice

- Clean the floorcovering regularly as this is more cost effective and hygienic than occasional heavy duty cleaning.
- Always follow dosage instructions carefully.
- Wipe up any grease and spilt oil immediately, as it may damage the surface.
- Resilient floors are damaged by solvents.
- Black rubber wheels and rubber feet can discolour the floorcovering. All chair and table legs should have good quality feet. Felt feet are not recommended in commercial interiors.
 Hard plastic is preferred.
- Remember that light colours need more frequent cleaning.

Preventive Care

Entrance matting



About 80% of surface soiling that has to be cleaned off is brought from outside. And 90% of that soiling can be avoided by an effective and correctly dimensioned entrance mat. The less dirt that comes in through the entrance, the lower the maintenance requirements.

OR



Daily & Regular Cleaning Dry mopping

Remove dust and dirt with dry mop.



Vacuum cleaning

To remove dust and loose dirt. Recommended for large areas andinitial site cleaning.



Damp mopping

Use a mop dampened with water or detergent solution. It is essential that water does not stay on the floor orleave a film. The floor should be virtually dry after 15–20 seconds.



Combined machine with brush

Industrial machine—cleaning (large areas). Use diluted neutral detergent. Adjustable speed 300–500rpm. Use nylon brush not white/beige pad!



Manual brush

Brush (with medium brushes).



Rotowashwith brushes

Spray diluted detergent and clean with water or water+detergent.







Spot and stain removal

Treat stains immediately. Hand spot using a white/red nylon pad with neutral detergent (solvents should not be used). Work from the outside of the mark towards its centre. Rinse and wipe afterwards with clean water.

Periodical Cleaning



Light soiling: Spray Cleaning

Mix water and neutral detergent in the container tank. Suitable speed 300–500rpm. Red pad is recommended.

OR



Heavy soiling: Rotowash

Clean with the cylindrical scrubbing machine (spray detergent diluted with water through the machine).

If needed:



Dry buffing

When necessary, dry buff to recover gloss. White-beige pad. Suitable speed is 500–1000rpm.





TopCleanXPsurface Treatment

The Top Clean surface treatment is a PUR rein for cement that offers good cleaning and maintenance properties, at a low initial cost.

Initial site cleaning

Alway sprotect the floor with thick paper or hardboard sheeting during the construction period.

After installation, always clean the new floor: vacuum, sweepor damp mop the area to remove building dust and loose dirt.

Ahmadabad:

Surface Plus, GF, 4th Floor Premier House, Opp. Gurudwara Thaltej Crossing, Ahmadabad – 382 454 Tel: +91 79 4006 0521 / 79 2685 3312 Email: ahmadabad@squarefoot.co.in

Bengaluru:

#51, 1st Floor, 100 Feet Road 4th Block, Koramangala Bengaluru – 560 034 Tel: +91 80 4110 1012 / 13 Fax: +91 80 2563 3145

Email: bangalore@squarefoot.co.in

Chennai:

#96, 3rd Floor, Opp. Vani Mahal G. N. Chetty Road, T. Nagar Chennai – 600 017 Tel: +91 44 4550 8411 / 12 Email: chennai@squarefoot.co.in

Goa:

403, 4th Floor, Gera Imperium 1st Building, Behind KTC Bus Stand Patto Plaza, Panjim, Goa – 403 001 Tel: +91 832 243 7663 Email: goa@squarefoot.co.in

Hyderabad:

6 – 3 – 354/1, 2nd Floor, Stellar Sphinx Panjagutta Main Road, Road No. 1 Banjara Hills, Hyderabad – 500 034 Tel: +91 40 4003 7212 / 13 Fax: +91 40 4003 7214 Email: hyderabad@squarefoot.co.in

Indore:

154, 1st Floor Orbit Mall, A.B. Road Indore – 452 001 Tel: +91 731 498 1983 Email: indore@squarefoot.co.in

Jaipur:

2nd Floor, Plot No. 287, Vaishali Marg Gomes Defence Colony, Opp. Ktl Maruti Showroom Near Big Bazaar, Jaipur, Rajasthan – 302 021

Tel: +91 141 492 2396 Email: jaipur@squarefoot.co.in

Kochi:

2nd Floor Chakrampilly Estate NH Bypass, Palarivattom Thammanam PO, Cochin Kerala – 682 032. (Opp: Holiday Inn) Tel: +91 484 485 6173

Email: kochi@squarefoot.co.in

Kolkata:

#332, Homeland Mall 18B, Ashuthosh Mukherjee Road Kolkata – 700 020 Tel: +91 33 2455 4344 Email: kolkata@squarefoot.co.in

Mumbai:

9–11 Senapati Bapat Marg Lower Parel, Mumbai – 400 013 Tel: +91 22 4047 6211 Fax: +91 22 2497 6216

New Delhi:

M – 56, 2nd Floor, M–Block Market Greater Kailash Part II New Delhi – 110 048 Tel: +91 11 4052 5767 / 11 4050 4785 Email: delhi@squarefoot.co.in

Pune:

Classic Floorings & Interiors Pvt Ltd,
Office No. 201, 2nd Floor, Gagan Capital
Dhole Patil Road, Beside Ruby hall Clinic Exit Gate,
Landmark – Above Anna Idly & CCD
Pune – 411 001
Teles 201 00 4000 1000

Tel: +91 20 4000 1630 Email: pune@squarefoot.co.in

Area Representatives

Bhopal +91 82913 17558
Bhubaneshwar
Coimbatore +91 90032 56718
Guwahati +91 96749 93005
Nasik +91 86575 03355
Patna +91 98363 11556
Surat +91 97237 77887



Head Office:

Classic Floorings & Interiors (P) Ltd., Ground Floor, Raghuvanshi Mansion
Raghuvanshi Mills Compound, 9–11 Senapati Bapat Marg, Lower Parel, Mumbai – 400 013. Tel: +91 22 4047 6211 | Fax: +91 22 2497 6216