


Engineered Wood Floor

Walnut Herringbone

Technical Data Sheet



Product Details

Specie:	Walnut herringbone. Oak Chevron
Structure:	Multi-ply, with eucalyptus mixed plywood
Strips:	1 strip
Thickness:	10mm, 14mm and 15mm total thickness, 2.0mm and 3mm top-layer
Width:	70mm and 90mm width
Length:	485mm, 490mm and 600mm
Grade:	ABC Grade
Joints:	T&G
Moisture Content:	7–9%

Glue and Coating:

We use various coating brands and finishes, per clients' requirements. We work closely with Treffert Coating—www.treffert.com (UV lacquered); WOCA—www.wocadenmark.com (UV oiled) and OSMO oiled (www.osmo.com) wax oil

Dynea or Casco glue which meet European E1 standards

Tolerance on dimensions

Length (+/–)1mm, **Width** (+/–)0.2mm, **Thickness** (+/–)0.2mm, **Gap** 0.2mm, **Height different** 0.15mm

Cup warping concave:	Chord $\leq 0.18\%$ of plank's width
Cup warping convex:	Chord $\leq 0.22\%$ of plank's width
Bow warping concave:	Irrespective of grading
	1. T&G with top-layer ≤ 1 mm; Chord $\leq 0.8\%$ of plank's length
	2. T&G with top-layer > 1 mm; Chord $\leq 0.5\%$ of plank's length
	3. Glue less system with top-layer > 1 mm; Chord $\leq 0.5\%$ of plank's length
Bow warping convex:	Irrespective of grading
	1. T&G with top-layer ≤ 1 mm; Chord $\leq 1\%$ of plank's length
	2. T&G with top-layer > 1 mm; Chord $\leq 0.8\%$ of plank's length
	3. Glue less system with top-layer > 1 mm; Chord $\leq 0.5\%$ of plank's length

Packaging

Moisture and impact resistant

Pcs/Carton: 16 pcs

Weight/Carton: About 15–18kg

Client's details can be printed on cartons

Ahmadabad:

Surface Plus, GF, 4th Floor
Premier House, Opp. Gurudwara
Thaltej Crossing, Ahmadabad – 382 454
Tel: +91 79 4006 0521 / 79 2685 3312
Email: ahmadabad@squarefoot.co.in

Bengaluru:

#51, 1st Floor, 100 Feet Road
4th Block, Koramangala
Bengaluru – 560 034
Tel: +91 80 4110 1012 / 13
Fax: +91 80 2563 3145
Email: bangalore@squarefoot.co.in

Chennai:

#96, 3rd Floor, Opp. Vani Mahal
G. N. Chetty Road, T. Nagar
Chennai – 600 017
Tel: +91 44 4550 8411 / 12
Email: chennai@squarefoot.co.in

Goa:

403, 4th Floor, Gera Imperium
1st Building, Behind KTC Bus Stand
Patto Plaza, Panjim, Goa – 403 001
Tel: +91 832 243 7663
Email: goa@squarefoot.co.in

Hyderabad:

6 – 3 – 354/1, 2nd Floor, Stellar Sphinx
Panjagutta Main Road, Road No. 1
Banjara Hills, Hyderabad – 500 034
Tel: +91 40 4003 7212 / 13
Fax: +91 40 4003 7214
Email: hyderabad@squarefoot.co.in

Indore:

154, 1st Floor Orbit Mall, A.B. Road
Indore – 452 001
Tel: +91 731 498 1983
Email: indore@squarefoot.co.in

Jaipur:

2nd Floor, Plot No. 287, Vaishali Marg
Gomes Defence Colony, Opp. Ktl Maruti Showroom
Near Big Bazaar, Jaipur, Rajasthan – 302 021
Tel: +91 141 492 2396
Email: jaipur@squarefoot.co.in

Kochi:

2nd Floor Chakrampilly Estate
NH Bypass, Palarivattom
Thammanam PO, Cochin
Kerala – 682 032. (Opp: Holiday Inn)
Tel: +91 484 485 6173
Email: kochi@squarefoot.co.in

Kolkata:

#332, Homeland Mall
18B, Ashuthosh Mukherjee Road
Kolkata – 700 020
Tel: +91 33 2455 4344
Email: kolkata@squarefoot.co.in

Mumbai:

9–11 Senapati Bapat Marg
Lower Parel, Mumbai – 400 013
Tel: +91 22 4047 6211
Fax: +91 22 2497 6216

New Delhi:

M – 56, 2nd Floor, M–Block Market
Greater Kailash Part II
New Delhi – 110 048
Tel: +91 11 4052 5767 / 11 4050 4785
Email: delhi@squarefoot.co.in

Pune:

Classic Floorings & Interiors Pvt Ltd,
Office No. 201, 2nd Floor, Gagan Capital
Dhole Patil Road, Beside Ruby hall Clinic Exit Gate,
Landmark – Above Anna Idly & CCD
Pune – 411 001
Tel: +91 20 4000 1630
Email: pune@squarefoot.co.in

Area Representatives

Bhopal	+91 82913 17558
Bhubaneshwar	+91 96742 23380
Coimbatore	+91 90032 56718
Guwahati	+91 96749 93005
Nasik	+91 86575 03355
Patna	+91 98363 11556
Surat	+91 97237 77887

**Head Office:**

Classic Floorings & Interiors (P) Ltd., Ground Floor, Raghuvanshi Mansion
Raghuvanshi Mills Compound, 9–11 Senapati Bapat Marg, Lower Parel, Mumbai – 400 013. Tel: +91 22 4047 6211 | Fax: +91 22 2497 6216